


Crowning Impressions™ Installation Instructions



Getting Started

To install your valance, locate the following:

- Valance with custom fabric valance insert (already inserted)
- 2 valance returns
- 2 small valance return connectors (located in your vertical blind hardware bag)
- Large valance clip connectors (located in your vertical blind hardware bag). You have received the proper number of connectors for your blind width.
- Steel tape measure

3 DAY BLINDS®
America's Window Covering SpecialistsSM

1-800-800-3DAY
www.3day.com


Inside Mount

If Sheer Magic™ is being installed inside the window frame, you must assemble the Sheer Magic Valance before you install your blind. (See page 3 of these instructions - "Installing the Sheer Magic Valance"). Once the valance is assembled, refer to page 3 of the enclosed "Vertical Blind Installation Instructions".


NOTE: When installed properly, the Sheer Magic Valance Clip Connectors will be sandwiched between the vertical blind mounting clips on the headrail and the mounting surface. For this reason, please make sure that the mounting clips for the headrail are aligned with the Valance Clip Connectors on the Sheer Magic™ Valance prior to installation.

Outside Mount


If Sheer Magic is being installed outside the window frame, you must install the Sheer Magic™ vertical headrail and vinyl vanes first per the enclosed "Vertical Blind Installation Instructions".




- Unwrap the valance and holding it in one hand, slide the large valance clip connectors into the grooves located on the back of the valance. Make sure that the angled dust covers are located at the top of the valance. Position the valance clip connectors in the same position on the valance as the valance clips on your vertical blind headrail. This will ensure that the valance attaches easily to your vertical blind headrail.



- Install the two small valance return connectors at either end of your valance by sliding the edge of the valance return connectors into the grooves at the end of each side of the valance.




- Center the shirred valance insert on the valance.




- Turn the valance over. Starting on the right side, measure out from the end of the valance return connector 2" for an inside mount and 6" or 7" for an outside mount depending on whether you used 3" or 4" extension brackets to hang your vertical blind. Using a pencil, mark the back of the shirred valance insert at this point.

- Fold and crease the valance insert at the measured mark. You must have a minimum of 1 1/2" to fold and crease. Excess fabric may be trimmed using metal scissors.




- Bend the folded and creased valance insert 90 degrees until it rests against the plastic valance return connector.



- Slide the left valance return over the folded edge of the fabric valance insert ensuring that the fabric slides into the front of the valance return.

Gently work the valance return down over the folded fabric until the back channel of the valance return slides over the edge of the small valance return connector. When completed, this connection will form a finished corner.

- Repeat for the right end of the valance.



- You may now install your assembled Crowning Impressions valance onto your vertical blind headrail. Refer to the valance installation section of your "Vertical Blind Installation Instructions".



Limited Lifetime Warranty

3 Day Blinds, Inc., will repair or replace any part of the blind found to be defective in materials or workmanship at no cost to you. This warranty is limited to the original consumer purchaser of the blinds. There is no time limit to our warranty, excluding Essentials® line products which come with a 1 year limited warranty. This warranty does not apply to any defect caused by improper installation, alteration, abuse, misuse or exposure to excess moisture. This warranty does not cover normal wear and tear such as the natural deterioration of fabric and changes in color that take place over time. This warranty does not cover products that exceed 3 Day Blinds' size recommendations. To obtain service, bring the product(s) in question to any 3 Day Blinds store with this warranty and your purchase invoice. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

3 DAY BLINDS®

America's Window Covering Specialists™

1-800-800-3DAY
www.3day.com

PART # 00001-031-000 / 000-053 REV 02-05
© COPYRIGHT OCTOBER 2004
3 DAY BLINDS, INC.