		Wi	idth	Lei	ngth		Flush Depth	Outs	side Mount Recomme Overlaps	nded	(Horizon		nate Stack ent for Vertic	al Blinds &	Maximum	Light	t Gap
Category (sorted alphabetically)	Product					Minimum Depth	Requirement or Outside	Width	Length			•	cal measurem sed on mater		Clearance (with	Ligit	Сар
		Min	Max**	Min	Max	Requirement	Mount Projection	(each side)	Top (Sill or Floor Length)	Bottom	40"	80"	120"	160"	Extension Bracket)	Inside Mount (each side)	Between on a 2 on 1 Headrail
Cornices (Wood)	All Cornices	10"	264"	N/A	N/A	N/A	N/A	Refe	er to "How to Measure G	uide"	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	100% Fullness - Flat Panel with Clip Rings	22"	460"	10"	240"	N/A	N/A	6"			7"	13"	20"	27"	N/A	N/A	N/A
Drapery Panels/Curtains	200% Fullness - Flat Panel with Clip Rings, Grommet, Inverted Pleat, Pinch Pleat , Rod Pocket, Tailored Pleat, Hidden Tab, Soft Top, Rod Pocket Top/Bottom	22"	248"	10"	240"	N/A	N/A	6"	Refer to "Drapery M Instructions"	easuring	13"	27"	40"	53"	N/A	N/A	N/A
	300% Fullness - Inverted Pleat, Pinch Pleat , Rod Pocket, Tailored Pleat, Hidden Tab, Soft Top, Rod Pocket Top/Bottom	22"	296"	10"	102"	N/A	N/A	6"			11"	23"	34"	46"	N/A	N/A	N/A
	Rod & Rings- 2" Chateau Custom	12"	144"	N/A	N/A			6"	N/A	N/A	N/A	N/A	N/A	N/A	6"	N/A	N/A
	Rod & Rings- 2" Bungalow Custom	12"	96"	N/A	N/A			6"	N/A	N/A	N/A	N/A	N/A	N/A	4 1/2"	N/A	N/A
	Rod & Rings- 2" Custom Wood	12"	192"	N/A	N/A			6"	N/A	N/A	N/A	N/A	N/A	N/A	3 1/2"	N/A	N/A
	Rod & Rings- 1" Minimalist Custom	12"	240"	N/A	N/A	1		6"	N/A	N/A	N/A	N/A	N/A	N/A	5 1/2"	N/A	N/A
	Rod & Rings- 1" Wrought Iron Custom	12"	480"	N/A	N/A	1		6"	N/A	N/A	N/A	N/A	N/A	N/A	4 1/2"	N/A	N/A
	Rod & Rings-11/2" Wrought Iron Custom	12"	480"	N/A	N/A	1		6"	N/A	N/A	N/A	N/A	N/A	N/A	4 1/2"	N/A	N/A
	Rod & Rings- 1" Adjustable Metal	22"	148"	N/A	N/A	1		6"	N/A	N/A	N/A	N/A	N/A	N/A	4 1/2"	N/A	N/A
	Rod & Rings- Café Custom	12"	60"	N/A	N/A	Refer to Look Bo	ok and Decorative	6"	N/A	N/A	N/A	N/A	N/A	N/A	2"	N/A	N/A
Decorative Hardware	Traversing- Cosmopolitan & Metropolitan (Split Draw)	20"	156"	N/A	N/A	Hardwa	re Decks	6"	N/A	N/A	N/A	N/A	N/A	N/A	6 1/4"	N/A	N/A
	Traversing- Cosmopolitan & Metropolitan (One Way Draw)	20"	105"	N/A	N/A	1		6"	N/A	N/A	N/A	N/A	N/A	N/A	6 1/4"	N/A	N/A
	Traversing- 2" Chateau Custom Cord	36"	192"	N/A	N/A	1		6"	N/A	N/A	N/A	N/A	N/A	N/A	3 1/4"	N/A	N/A
	Traversing- 2" Custom Wood Hand	24"	192"	N/A	N/A	1		6"	N/A	N/A	N/A	N/A	N/A	N/A	3 1/2"	N/A	N/A
	Traversing- 1 1/2" Round Minimalist Custom Cord	36"	192"	N/A	N/A	1		6"	N/A	N/A	N/A	N/A	N/A	N/A	3"	N/A	N/A
	Traversing- 2" Square Minimalist Custom Cord	36"	192"	N/A	N/A	1		6"	N/A	N/A	N/A	N/A	N/A	N/A	3"	N/A	N/A
	Traversing- Streamline Custom Cord	36"	240"	N/A	N/A	1		6"	N/A	N/A	N/A	N/A	N/A	N/A	4 1/4"	N/A	N/A
	Traversing- Classic Adjustable Cord	30"	120"	N/A	N/A	1		6"	N/A	N/A	N/A	N/A	N/A	N/A	3"	N/A	N/A
	Casual Swag Valance	24"	144"	12"	24"	3"	N/A		•		N/A	N/A	N/A	N/A	3/4"	1/4"	N/A
Fabric Cornices & Valances	Corner & Inverted Pleat Valance	12"	144"	12"	24"	3"	N/A	Refe	er to "How to Measure G	uide"	N/A	N/A	N/A	N/A	3/4"	1/4"	N/A
	Tailored Cornice	12"	144"	4"	12"	3"	N/A	1			N/A	N/A	N/A	N/A	3/4"	1/4"	N/A
	Deluxe 2 1/2"	7 1/2"	96" Refer to Chart I	8"	135" Refer to Chart I	2 3/4"	3"	1 1/2"	1 1/2"	2"	6"	8"	12 1/2"	N/A	2 3/4"	1/4"	1/2"
	Angled Privacy Slat	7 1/2"	96" Refer to Chart I 96"	8"	135" Refer to Chart I	2 1/2"	2 3/4"	1 1/2"	1 1/2"	2"	6"	8"	12 1/2"	N/A	2 3/4"	1/4"	1/2"
Faux Wood Blinds	Standard 2"	7 1/2"	Refer to Chart I	8"	135" Refer to Chart I	2 1/2"	2 3/4"	1 1/2"	1 1/2"	2"	6"	8"	12 1/2"	N/A	2 3/4"	1/4"	1/2"
	Essentials 1"	9 1/8"	78" Refer to Chart I	8"	Refer to Chart I	1 3/4"	1 7/8"	1"	1"	1 1/4"	8 1/4"	N/A	N/A	N/A	2 3/4"	1/4"	1/2"
	Essentials 2"	10"	96" Refer to Chart I	10"	96" Refer to Chart I	2 1/2"	2 3/4"	1 1/2"	1 1/2"	2"	6"	8"	N/A	N/A	2 3/4"	1/4"	1/2"
	Independent Valances - Coronado	7"	120"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Independent Valances - All Others	7"	120"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Faux Wood Specialties	2" Arch	20"	84"	10"	46"	2 1/2"	2 3/4"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	2" Half Arch	20"	48"	20"	48"	2 1/2"	2 3/4"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

		Wi	dth	Lei	ngth		Flush Depth	Out	side Mount Recomme Overlaps	nded	(Horizon	Approxin	nate Stack ent for Vertica	al Blinds &	Maximum	Light	Gan
Category (sorted alphabetically)	Product					Minimum Depth	Requirement or Outside	Width	Length			nels, and verti iis can vary ba			Clearance (with	Ligit	Сар
,,, , , , , , , , , , , , , ,		Min	Max**	Min	Max	Requirement	Mount Projection	(each side)	Top (Sill or Floor Length)	Bottom	40"	80"	120"	160"	Extension Bracket)	Inside Mount (each side)	Between on a 2 on 1 Headrail
Flexcell Honeycomb/ Cellular Blinds	All Fabrics	20"	96"	12"	120"	1"	2 5/8"	1 1/2"	1/2"	1"	6 1/4"	9 1/4"	12 1/4"	N/A	1 1/2"	1/4"	N/A
								•			For specifi	c data on Stack see C	ring for Honeyco	omb Shades			
	MiniCell and MidCell - Cord Lock	9"	120" Refer to Chart A	8"	144"	5/8"	2"	1 1/2"	1"	1"	1 3/8" - 2 1/2"	1 3/4" - 4"	2 1/8" - 5 1/2"	2 1/2" - 7"	2 1/4"	3/16"	
	GrandCell, TwinCell and TripleCell - Cord Lock	9"	120" Refer to Chart A	8"	144"	5/8"	2 1/2"	1 1/2"	1"	1"	1 3/8" - 2 1/2"	1 3/4" - 4"	2 1/8" - 5 1/2"	2 1/2" - 7"	2 1/4"	3/16"	
	MiniCell and MidCell - Cord Lock with 2 on 1 Headrail	36"	144"	8"	144"	5/8"	2"	1 1/2"	1"	1"	1 3/8" - 2 1/2"	1 3/4" - 4"	2 1/8" - 5 1/2"	2 1/2" - 7"	2 1/4"	3/16"	1/2"
	GrandCell, TwinCell and TripleCell - Cord Lock with 2 on 1 Headrail	36"	144"	8"	144"	5/8"	2 1/2"	1 1/2"	1"	1"	1 3/8" - 2 1/2"	1 3/4" - 4"	2 1/8" - 5 1/2"	2 1/2" - 7"	2 1/4"	3/16"	1/2"
	MiniCell and MidCell - Cord Lock with Top Down, Top Down Bottom Up	9"	96"^ Refer to Chart B	12"	108"	5/8"	2"	1 1/2"	1"	1"	2" - 3 1/8"	2 3/8" - 4 5/8"	2 3/4" - 6 1/8"	3 1/8" - 7 5/8"	2 1/4"	3/16"	
Honeycomb/Cellular Shades	GrandCell, TwinCell and TripleCell - Cord Lock with Top Down, Top Down Bottom Up	9"	96"^ Refer to Chart B	12"	108"	5/8"	2 1/2"	1 1/2"	1"	1"	4 5/8"	6 5/8"	8 5/8"	9 5/8"	2 1/4"	3/16"	
noneycomb/ centual snades	MiniCell and MidCell - Cord Lock with DuoShade	12"	72"	18"	96"	5/8"	2"	1 1/2"	1"	1"	6" - 9"	8" - 13"	10" - 14"	12" - 17"	2 1/4"	3/16"	
	GrandCell, TwinCell and TripleCell - Cord Lock with DuoShade	12"	72"	18"	96"	5/8"	2 1/2"	1 1/2"	1"	1"	6" - 9"	8" - 13"	10" - 14"	12" - 17"	2 1/4"	3/16"	
	All Fabrics - Continuous Cord Loop	12"	144"	8"	120"	1 1/8"	2 1/2"	1 1/2"	1"	1"	2 3/8" - 3 1/2"	2 3/4" - 5"	3 1/8" - 6 1/2"	3 1/2" - 8"	2 1/4"	3/16"	
	All Fabrics - Continuous Cord Loop with 2 on 1 Headrail	36"	144"	8"	120"	1 1/8"	2 1/2"	1 1/2"	1"	1"	2 3/8" - 3 1/2"	2 3/4" - 5"	3 1/8" - 6 1/2"	3 1/2" - 8"	2 1/4"	3/16"	1/2"
	All Fabrics - Cordless	18"	120"^	8"	84"	1 1/8"	2 1/2"	1 1/2"	1"	1"	2 3/8" - 3 1/2"	2 3/4" - 5"	3 1/8" - 6 1/2"	3 1/2" - 8"	2 1/4"	3/16"	
	All Fabrics - Cordless Top Down Bottom Up	18"	120"^	8"	84"	1 1/8"	2 1/2"	1 1/2"	1"	1"	2 7/8" - 4"	3 1/4" - 5 1/2"	3 5/8" - 7"	4" - 8 1/2"	2 1/4"	3/16"	
	All Fabrics - Motorized	20"	96" Refer to Chart C	8"	96"	1 1/8"	2 1/2"	1 1/2"	1"	1"	2 3/8" - 5"	2 3/4" - 7"	3 1/8" - 9"	3 1/2" - 10"	2 1/4"	3/16"	
	MiniCell and MidCell - Arches	12"	84"	6"	46"	5/8"	2"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Honeycomb/Cellular Shade	GrandCell, TwinCell and TripleCell - Arches	12"	84"	6"	46"	5/8"	2 1/2"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Specialties	MiniCell and MidCell - Half Arches	12"	42"	6"	21"	5/8"	2"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	GrandCell, TwinCell and TripleCell - Half Arches	12"	42"	6"	21"	5/8"	2 1/2"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Continuous Cord Loop - Light Filtering	16"	112"	12"	125"	1 1/8"	3 5/8"	1 1/2"	2"	3/4"	3"	3"	N/A	N/A	4 1/4"	5/8" - 1/2"	N/A
Horizontal Sheer Shades	Continuous Cord Loop - Room Darkening	16"	112"	12"	122"	1 1/8"	3 5/8"	1 1/2"	2"	3/4"	3"	3"	N/A	N/A	4 1/4"	5/8" - 1/2"	N/A
	Motorized Headrail	16"	96"	12"	96"	2"	4 1/2"	1 1/2"	2"	3/4"	3"	3"	N/A	N/A	4 1/4"	5/8" - 1/2"	N/A
	Deluxe 1"	10"	123"	10"	135"	1 3/4"	N/A*	1"	1"	1 1/4"	2 1/8"	3 7/8"	4 3/4"	N/A	2 3/4"	3/8"	1/2"
Metal/Mini Blinds	Standard 1"	9"	123"	10"	135"	1 1/2"	1 7/8"	1"	1"	1 1/4"	2 1/8"	3 7/8"	4 3/4"	N/A	2 3/4"	1/4"	1/4"
	Essentials 1"	21"	123"	10"	126"	1"	1 1/8"	1"	1"	1 1/4"	2 1/8"	3 7/8"	4 3/4"	N/A	2 3/4"	1/4"	1/4"

		w	idth	Lei	ngth		Flush Depth	Out	side Mount Recomme Overlaps	nded	(Horizon	Approxin	nate Stack ent for Vertica	al Blinds &	Maximum	Light	Gan
Category (sorted alphabetically)	Product					Minimum Depth	Requirement or Outside	Width	Length		Drapery Par	nels, and verti is can vary ba	cal measurem	ent for other	Clearance (with	Light	Сар
(,,,,,,,,,,,,,,,,,,,,		Min	Max**	Min	Max	Requirement	Mount Projection	(each side)	Top (Sill or Floor Length)	Bottom	40"	80"	120"	160"	Extension Bracket)	Inside Mount (each side)	Between on a 2 on 1 Headrail
	Mirco Pleat & 1" - Standard Corded	9"	144"	9"	96"	3/4"	1 7/8"	1 1/2"	1"	1"	Max. 2 1/4"	Max. 3 3/4"	Max. 5 7/8"	N/A	2 3/4"	1/8" - 1/4"	1/2"
	Micro Pleat & 1" - DuoShade	12"	74"	12"	96"	3/4"	1 7/8"	1 1/2"	1"	1"	Max. 2 5/8"	Max. 4 1/8"	Max. 5 3/8"	N/A	2 3/4"	1/8" - 1/4"	N/A
	Micro Pleat & 1" - Top Down Bottom Up	12 1/8"	76"	9"	96"	3/4"	1 7/8"	1 1/2"	1"	1"	Max. 2 5/8"	Max. 4 1/8"	Max. 5 3/8"	N/A	2 3/4"	1/8" - 1/4"	N/A
	Micro Pleat & 1" - Continuous Cord Loop	18"	144"	9"	96"	3/4"	2 1/8"	1 1/2"	1"	1"	Max. 3 1/8"	Max. 4 5/8"	Max. 5 7/8"	N/A	2 3/4"	1/8" - 1/4"	1/2"
	Micro Pleat & 1" - Motorized	20"	91"	9"	96"	3/4"	2 1/8"	1 1/2"	1"	1"	Max. 3 1/8"	Max. 4 5/8"	Max. 5 7/8"	N/A	2 3/4"	1/8" - 1/4"	N/A
Pleated Shades	2" - Standard Corded	9"	140"	9"	96"	1 5/8"	2 1/4"	1 1/2"	1"	1″	Max. 2 3/4"	Max. 4 1/4"	Max. 6 3/8"	N/A	3 1/4"	1/8" - 1/4"	1/2"
	2" - Top Down Bottom Up	12 1/8"	70"	9"	96"	1 5/8"	2 1/4"	1 1/2"	1"	1″	Max. 3 1/8"	Max. 4 5/8"	Max. 5 7/8"	N/A	3 1/4"	1/8" - 1/4"	N/A
	2" - Continuous Cord Loop	18"	70"	9"	96"	1 5/8"	2 1/4"	1 1/2"	1"	1"	Max. 3 5/8"	Max. 5 1/8"	Max. 6 3/8"	N/A	3 1/4"	1/8" - 1/4"	1/2"
	2" - Motorized	20"	70"	9"	96"	1 5/8"	2 1/4"	1 1/2"	1"	1"	Max. 3 5/8"	Max. 5 1/8"	Max. 6 3/8"	N/A	3 1/4"	1/8" - 1/4"	N/A
Pleated Shade Specialties	Arches	10"	72"	5"	40"	1 3/4"	1 3/4"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
rieated Shade Specialties	Half Arches	12"	36"	12"	38"	1 3/4"	1 3/4"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
RippleWave	Cosmopolitan & Metropolitan Hardware (Split Draw)	46"	155"	24"	144"	Refer to Deskto	p Photo Library	6"	Refer to "Drapery Me	easuring	16"	32"	48"	64"	6 1/8"	N/A	N/A
Kippiewave	Cosmopolitan & Metropolitan Hardware (One Way Draw)	31"	102"	24"	144"	Refer to Deskto	p Photo Library	6"	Instructions"		16"	32"	48"	64"	6 1/8"	N/A	N/A
	Continuous Cord Loop	10"	125"	10"	130"	3/4"	2 3/8"	2"	3"	2"	2 3/8"	2 3/8"	2 3/8"	N/A	2 3/4"	3/8" - 1"	N/A
	Continuous Cord Loop w/Deluxe Valance	10"	60"	10"	95"	1 5/8"	2 7/8"	2"	2 3/8"	2"	2 7/8"	2 7/8"	2 7/8"	N/A	2 3/4"	3/8" - 1"	N/A
Roller Shades	Continuous Cord Loop w/Deluxe Oversized Valance	10"	125"	10"	130"	2 1/2"	4 3/8"	2"	3 7/8"	2"	4 3/8"	4 3/8"	4 3/8"	N/A	2 3/4"	3/8" - 1"	N/A
	Cordless	19 1/2"	72"	12"	96"	2 1/4"	2 1/2"	2"	3"	2"	2 1/2"	2 1/2"	2 1/2"	N/A	2 3/4"	3/8"	N/A
	Motorized	16"	96"	10"	96"	1 1/2"	3 1/8"	2"	3"	2"	3 1/8"	3 1/8"	3 1/8"	N/A	2 3/4"	1/2" - 3/4"	N/A
	Standard Corded	8"	120" ^	10"	104" ^	3/4"	1 7/8"	2"	1"	1"	12"	13"	14 1/4"	N/A	2 3/4"	1/8" - 1/4"	1/2"
	Top Down Bottom Up (w/Standard Headrail)	16"	74"	10"	96" ^	3/4"	1 7/8"	2"	1"	1"	12"	13"	14 1/4"	N/A	2 3/4"	1/8" - 1/4"	1/2"
Roman Shades	Continuous Cord Loop	18"	120" ^ Refer to Chart E	10"	104" ^ Refer to Chart E	3/4"	2 1/8"	2"	1"	1"	13 1/2"	14 1/2"	15 3/4"	N/A	2 3/4"	1/8" - 1/4"	1/2"
	Cordless	18"	72"	18"	86"	3/4"	2 1/8"	2"	1″	1"	13 1/2"	14 1/2"	N/A	N/A	2 3/4"	1/8" - 1/4"	N/A
	Motorized	20"	96" Refer to Chart F 87"	9"	96" Refer to Chart F 97"	3/4"	2 1/8"	2"	1"	1"	11"	13"	N/A	N/A	2 3/4"	1/8" - 1/4"	N/A
Simply Sheer Shades	Standard Continuous Cord Loop - Light Filtering	16"	Refer to Chart G 87"	16"	Refer to Chart G 97"	1 3/4"	3 1/4"	1 1/2"	2"	3/4"	5"	5"	N/A	N/A	N/A	1 1/8" - 3/4"	N/A
	Standard Continuous Cord Loop - Room Darkening	16"	Refer to Chart G	16"	Refer to Chart G	1 3/4"	3 1/4"	1 1/2"	2"	3/4"	5"	5"	N/A	N/A	N/A	1 1/8" - 3/4"	N/A
Shutters	All	1						See Sh	utter Measuring Guide o	r Call Spec	ial Orders						

		w	idth	Lei	ngth		Flush Depth	Out	side Mount Recomme Overlaps	nded	(Horizon		nate Stack ent for Vertic	al Blinds &	Maximum	Light	t Gap
Category (sorted alphabetically)	Product					Minimum Depth	Requirement or Outside	Width	Length				ical measurem ased on mater		Clearance (with	Ligit	Сар
		Min	Max**	Min	Max	Requirement	Mount Projection	(each side)	Top (Sill or Floor Length)	Bottom	40"	80"	120"	160"	Extension Bracket)	Inside Mount (each side)	Between on a 2 on 1 Headrail
	Casual, Standard Corded	15"	144"	17"	144"	1"	1 5/8"	2"	2 1/2"	2"	16"	24"	36"	48"		1/4"	N/A
	Casual, Continuous Cord Loop	15"	144"	17"	144"	1 5/8"	2 3/8"	2"	3"	2"	16"	24"	36"	48"		1/4"	N/A
	Casual, Upended	15"	144"	17"	144"	5/8"	3/4"	2"	2"	2"	16"	24"	36"	48"		1/4"	N/A
	Classic, Standard Corded	15"	108"	17"	108"	1"	1 5/8"	2"	2 1/2"	2"	10"	13"	16"	18"		1/4"	N/A
	Classic, Continuous Cord Loop	15"	108"	17"	108"	1 5/8"	2 3/8"	2"	3"	2"	10"	13"	16"	18"		1/4"	N/A
	Classic, Upended	15"	108"	17"	108"	5/8"	3/4"	2"	2"	2"	10"	13"	16"	18"		1/4"	N/A
Soft Roman Shades	Flat, Standard Corded	15"	144"	17"	144"	1"	1 5/8"	2"	2 1/2"	2"	10"	13"	16"	19"	see Chart K	1/4"	N/A
	Flat, Continuous Cord Loop & TDBU	15"	144"	17"	144"	1 5/8"	2 3/8"	2"	3" & 3 1/2"	2"	10"	13"	16"	19"		1/4"	N/A
	Flat, Upended	15"	144"	17"	144"	5/8"	3/4"	2"	2"	2"	10"	13"	16"	19"		1/4"	N/A
	Gathered, Standard Corded	15"	144"	17"	144"	1"	1 5/8"	2"	2 1/2"	2"	16"	24"	36"	48"		1/4"	N/A
	Gathered, Continuous Cord Loop	15"	144"	17"	144"	1 5/8"	2 3/8"	2"	3"	2"	16"	24"	36"	48"		1/4"	N/A
	Gathered, Upended	15"	144"	17"	144"	5/8"	3/4"	2"	2"	2"	16"	24"	36"	48"		1/4"	N/A
	Hobbled, Standard Corded	15"	144"	17"	144"	1"	1 5/8"	2"	2 1/2"	2"	13"	17"	22"	27"		1/4"	N/A
	Hobbled, Continuous Cord Loop	15"	144"	17"	144"	1 5/8"	2 3/8"	2"	3"	2"	13"	17"	22"	27"		1/4"	N/A
	Hobbled, Upended	15"	144"	17"	144"	5/8"	3/4"	2"	2"	2"	13"	17"	22"	27"		1/4"	N/A
	Relaxed, Standard Corded	15"	144"	17"	144"	1"	1 5/8"	2"	2 1/2"	2"	10"	13"	16"	19"		1/4"	N/A
	Relaxed, Continuous Cord Loop	15"	144"	17"	144"	1"	1 5/8"	2"	3"	2"	10"	13"	16"	19"		1/4"	N/A
	Relaxed, Upended	15"	144"	17"	144"	5/8"	3/4"	2"	2"	2"	10"	13"	16"	19"		1/4"	N/A
	Deluxe Headrail, 3 1/2" Vane Size, One Way or Center Stack	10"	188"	10"	144"	2 7/8"	N/A*	4"	2 5/8" (2 7/8" with Adj Ext Brkt)	3"	7 1/4"	11 1/2"	16 1/2"	20 1/4"	1"		N/A
	Deluxe Headrail, 3 1/2" Vane Size, Center Open	15"	188"	10"	144"	2 7/8"	N/A*	4"	2 5/8" (2 7/8" with Adj Ext Brkt)	3"	4 1/2"	6 3/4"	9 1/4"	11 1/2"	1"		N/A
	Deluxe Headrail, 5" Vane Size, One Way or Center Stack	20"	188"	10"	144"	3 3/4"	N/A*	5 1/2"	2 5/8" (2 7/8" with Adj Ext Brkt)	3"	5 3/4"	8 1/2"	12 1/4"	15"	3 7/8"		N/A
Vartical Blinds	Deluxe Headrail, 5" Vane Size, Center Open	37"	188"	10"	144"	3 3/4"	N/A*	5 1/2"	2 5/8" (2 7/8" with Adj Ext Brkt)	3"	4 1/4"	5 3/4"	7 1/4"	8 1/2"	3 7/8"		N/A
Vertical Blinds	Deluxe Headrail, 10" Vane Size, One Way or Center Stack	48"	188"	10"	144"	6 1/4"	N/A*	10 1/2"	3 1/8" (2 7/8" with Adj Ext Brkt)	3"	4 1/4"	5 3/4"	7 1/4"	8 1/2"	1 1/8"		N/A
	Deluxe Headrail, 10" Vane Size, Center Open	48"	188"	10"	144"	6 1/4"	N/A*	10 1/2"	3 1/8" (2 7/8" with Adj Ext Brkt)	3"	3"	3 3/4"	4 1/2"	5 1/4"	1 1/8"		N/A
	Independent Valance - Wood Cornice	10"	264"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Independent Valance - Standard Curved/Square	10"	188"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Independent Valance - Coronado	10"	96"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Independent Valance - Montreal	10"	188"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A



		Wi	dth	Le	ngth		Flush Depth	Outs	side Mount Recomme Overlaps	nded	(Horizon		nate Stack ent for Vertica	al Blinds &	Maximum	Light	r Gan
Category (sorted alphabetically)	Product					Minimum Depth	Requirement or Outside	Width	Length				ical measurem ased on mater		Clearance (with	Ligit	Зар
(correct arphiazonicality)		Min	Max**	Min	Max	Requirement	Mount Projection	(each side)	Top (Sill or Floor Length)	Bottom	40"	80"	120"	160"	Extension Bracket)	Inside Mount (each side)	Between on a 2 on 1 Headrail
Vinyl Blinds	2"	10"	96"	10"	96"	2 1/2"	2 3/4"	1 1/2"	11/2"	2"	2 7/8"	5 3/4"	N/A	N/A	2 3/4"	1/4"	1/2"
	2"	7 1/2"	125" Refer to Chart H	8"	135" Refer to Chart H	2 1/2"	2 3/4"	1 1/2"	1 1/2"	2"	6"	9 1/2"	N/A	N/A	2 3/4"	1/4"	1/2"
Wood Blinds	2 1/2"	7 1/2"	125" Refer to Chart H	8"	135" Refer to Chart H	2 3/4"	3"	1 1/2"	1 1/2"	2"	6"	9 1/2"	N/A	N/A	2 3/4"	1/4"	1/2"
	Independent Valances - All	7 1/2"	188"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	2" True Radius / Imperfect Arch - All Brands	20"	60"	10"	34"	2 1/2"	2 3/4"	1 1/2"	1 1/2"	2"	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Wood Blind Specialties	2" 1/2 Arch - All Brands	20"	48"	20"	48"	2 3/4"	3"	1 1/2"	1 1/2"	2"	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Wood Billid Specialties	2" Eyebrow & Breadbox Arch - All Brands					Call Special Orde	rs				N/A	N/A	N/A	N/A	N/A	N/A	N/A
	2" Octagon - All Brands	18"	48"	18"	48"		Call Specia	l Orders			N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Standard Corded	13"	94"	14"	115"	2"	11/2"	1 1/2"	11/2"	1 1/2"	8"	13 1/2"	N/A	N/A	1 1/4"	1/8" - 1/4"	1/2"
Woven Wood Shades	Standard Cord with Upended Headrail	13"	94"	14"	115"	1 1/4"	1 5/8"	1 1/2"	1 1/2"	1 1/2"	7 1/2"	8 1/2"	N/A	N/A	1 1/4"	1/8" - 1/4"	1/2"
woven wood snades	Top Down Bottom Up (w/Standard Headrail)	13"	74"	14"	96"	2"	2 1/2"	1 1/2"	1 1/2"	1 1/2"	8"	13 1/2"	N/A	N/A	11/4"	1/8" - 1/4"	1/2"
	Continuous Cord Loop	24 1/8"	94"	14"	115"	2 1/4"	2 3/4"	1 1/2"	1 1/2"	1 1/2"	9 1/2"	15"	N/A	N/A	1 1/4"	1/8" - 1/4"	1/2"

^{*} Product must project from the window frame when mounted.

^{**} Some products may be limited by material width; when this occurs, select 2-on-1 option, if available.

[^] Some SKUs require additional size limitations, please refer to your swatch samples or Voyager for more information.

 $^{^{\}sim}$ Honeycomb Top Down Bottom Up - When width exceeds 72", Max Length is 90"



Chart A

Honeycomb Shades, Cord Lock

,	18	36	60	72	78	84	90	96	102	108	114	120	126	132	138	144
8																
12																
18																
24																
30																
36																
42																
48																
54																
60																
66																
72																
78																
84																
90																
96																
102																
108																
114																
120																
126																
132																
138																
144																





Chart B

Honeycomb Shades, Top Down & Town Down Bottom Up

9	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96



Chart C

Honeycomb Shades, Motorized

eycom	ib Snades, Motori	zea														
_	18	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120
8																
12																
18																
24																
30																
36																
42																
48																
54																
60																
66																
72																
78																
84																





Chart D

Honeycomb Shade, Stacking Chart

Г								Operating System								
			Standard		S	tandard To	p Down Bo			L. Cordles	s & Motorized		Cordle	ss Top Do	wn Bottor	m Up
Length→	40"	80"	120"	160"	40"	80"	120"	160"	40"	80"	120"	160"	40"	80"	120"	160"
Essentials MidCell	11/2	13/4	2 3/8	2 7/8	2 1/8	2 3/8	3	3 1/2	2 1/2	2 3/4	3 3/8	3 7/8	3	3 1/4	3 7/8	4 3/8
Flame Retardant GrandCell	13/8	13/4	2 1/8	2 1/2	2	2 3/8	2 3/4	3 1/8	2 3/8	2 3/4	3 1/8	3 1/2	2 7/8	3 1/4	3 5/8	4
Glimmer GrandCell	1 3/8	13/4	2 1/8	2 1/2	2	2 3/8	2 3/4	3 1/8	2 3/8	2 3/4	3 1/8	3 1/2	2 7/8	3 1/4	3 5/8	4
Heirloom GrandCell	13/8	13/4	2 1/8	2 1/2	2	2 3/8	2 3/4	3 1/8	2 3/8	2 3/4	3 1/8	3 1/2	2 7/8	3 1/4	3 5/8	4
Heirloom TwinCell	11/2	13/4	2 3/8	2 7/8	2 1/8	2 3/8	3	3 1/2	2 1/2	2 3/4	3 3/8	3 7/8	3	3 1/4	3 7/8	4 3/8
Linen GrandCell	13/8	13/4	2 1/8	2 1/2	2	2 3/8	2 3/4	3 1/8	2 3/8	2 3/4	3 1/8	3 1/2	2 7/8	3 1/4	3 5/8	4
Lux GrandCell	13/8	13/4	2 1/8	2 1/2	2	2 3/8	2 3/4	3 1/8	2 3/8	2 3/4	3 1/8	3 1/2	2 7/8	3 1/4	3 5/8	4
Nightfall Flame Retardant GrandCell	13/8	13/4	2 1/8	2 1/2	2	2 3/8	2 3/4	3 1/8	2 3/8	2 3/4	3 1/8	3 1/2	2 7/8	3 1/4	3 5/8	4
Nightfall GrandCell	13/8	13/4	2 1/8	2 1/2	2	2 3/8	2 3/4	3 1/8	2 3/8	2 3/4	3 1/8	3 1/2	2 7/8	3 1/4	3 5/8	4
Nightfall Heirloom GrandCell	1 1/2	2	2 1/2	3	2 1/8	2 5/8	3 1/8	3 5/8	2 1/2	3	3 1/2	4	3	3 1/2	4	4 1/2
Nightfall Lux GrandCell	13/8	13/4	2 1/8	2 1/2	2	2 3/8	2 3/4	3 1/8	2 3/8	2 3/4	3 1/8	3 1/2	2 7/8	3 1/4	3 5/8	4
Nightfall MidCell	13/8	13/4	2 1/8	2 1/2	2	2 3/8	2 3/4	3 1/8	2 3/8	2 3/4	3 1/8	3 1/2	2 7/8	3 1/4	3 5/8	4
Nightfall MiniCell	15/8	2 1/4	2 7/8	3 1/2	2 1/4	2 7/8	3 1/2	4 1/8	2 5/8	3 1/4	3 7/8	4 1/2	3 1/8	3 3/4	4 3/8	5
Nightfall TwinCell	4	6	8	9	4 5/8	6 5/8	8 5/8	9 5/8	5	7	9	10	5 1/2	7 1/2	9 1/2	10 1/2
Semisheer GrandCell	13/4	2 3/8	3 1/8	3 3/4	2 3/8	3	3 3/4	4 3/8	2 3/4	3 3/8	4 1/8	4 3/4	3 1/4	3 7/8	4 5/8	5 1/4
Sheer GrandCell	1 1/2	13/4	2 1/4	2 3/4	2 1/8	2 3/8	2 7/8	3 3/8	2 1/2	2 3/4	3 1/4	3 3/4	3	3 1/4	3 3/4	4 1/4
Softlight GrandCell	2 1/8	3 1/4	4 3/8	5 1/2	2 3/4	3 7/8	5	6 1/8	3 1/8	4 1/4	5 3/8	6 1/2	3 5/8	4 3/4	5 7/8	7
Softlight TwinCell	11/2	13/4	2 3/8	2 7/8	2 1/8	2 3/8	3	3 1/2	2 1/2	2 3/4	3 3/8	3 7/8	3	3 1/4	3 7/8	4 3/8
Softlight TripleCell	2 1/2	4	5 1/2	7	3 1/8	4 5/8	6 1/8	7 5/8	3 1/2	5	6 1/2	8	4	5 1/2	7	8 1/2
Textured GrandCell	13/8	13/4	2 1/8	2 1/2	2	2 3/8	2 3/4	3 1/8	2 3/8	2 3/4	3 1/8	3 1/2	2 7/8	3 1/4	3 5/8	4
Textured MiniCell	15/8	2 1/4	2 7/8	3 1/2	2 1/4	2 7/8	3 1/2	4 1/8	2 5/8	3 1/4	3 7/8	4 1/2	3 1/8	3 3/4	4 3/8	5
Textured TwinCell	11/2	13/4	2 3/8	2 7/8	2 1/8	2 3/8	3	3 1/2	2 1/2	2 3/4	3 3/8	3 7/8	3	3 1/4	3 7/8	4 3/8
Textured TwinCell Prints	11/2	2	2 1/2	3	2 1/8	2 5/8	3 1/8	3 5/8	2 1/2	3	3 1/2	4	3	3 1/2	4	4 1/2

Chart E

Roman Shades , Continuous Cord Loop

Additional Limitations for Small Shades
All Fabrics
Width May Length

Width	Max Length
17" - 17 3/8"	100 7/8"
17 1/2" - 17 7/8"	107 1/8"
18" - 18 3/8"	113 1/2"
18 1/2" - 18 7/8"	119 3/4"
19" - 19 3/8"	126"
19 1/2" - 19 7/8"	132 3/8"
20" - 20 3/8"	138 5/8"
20 1/2" - *120"	*104"

*Some SKUs require additional size limitations, please refer to swatch samples or Voyager for more information

Chart F

Roman Shades , Motorized

Additional Limitations for Small Shades All Fabrics

Width	Max Length
20" - 20 3/8"	29 3/8"
20 1/2" - 20 7/8"	35 5/8"
21" - 21 3/8"	42"
21 1/2" - 21 7/8"	48 1/4"
22" - 22 3/8"	54 1/2"
22 1/2" - 22 7/8"	60 3/4"
23" - 23 3/8"	67 1/8"
23 1/2" - 23 7/8"	73 3/8"
24" - 24 3/8"	79 5/8"
24 1/2" - 24 7/8"	85 7/8"
25" - 25 3/8"	92 1/4"
25 1/2" - 96"	96"




Chart G

Simply Sheer Shades, Continuous Cord Loop Headrail

G1. All Sonoran SKUs

	16"	19"	22"	25"	28"	31"	87"
16-43"							
48"							
53"							
58"							
63"							
68"							
73"							
78"							
82"							
87"							
92"							
97"							

G3. Eclipse (Cocoa)





G2. Eclipse (Buff, Charcoal, Dark Taupe & Optic White)






Chart H

Wood Blinds, 2" and 2 1/2"

	7 1/2" - 64"	70	76	84	90	96	102	108	114	120	125
8" - 86"											
92											
98											
104											
110											
116											
122											
128											
135											

Chart I

Faux Wood Blinds

I1. 2", 2 1/2" and Angled Slat Privacy

in 2 , 2 i, 2 dila migrea dia miracy											
	7 1/2" - 34"	40	46	52	58	64	70	76	84	90	96
8" - 68"											
74											
80											
86											
92											
98											
104											
110											
116											
122											
128											
135											

12. 1"

_	9 1/8" - 55"	62	68	72	78
8" - 74"					
80					
84					







Chart K

Soft Roman Shades, Clearance Chart

	Clearance Operating System			
Options in Voyager	Cord Lock	TDBU with Cord Lock	Continuous Cord Loop	How clearance is created
No additional clearance	3/4"	0"	0"	Reflects only the headrail depth for operating system shown. Select this when no additional clearance is required beyond the headrail depth.
3/8" additional clearance	1 1/8"	3/8"	3/8"	Includes the headrail depth for the operating system shown plus a 3/8" spacer block.
3/4" additional clearance	11/2"	3/4"	3/4"	Includes the headrail depth for the operating system shown plus an 3/4" spacer block.
3" Headboard with 11/2" additional clearance		11/2"	1 1/2"	Includes 3" Headboard style headrail plus an additional 1 1/2" of clearance
5" Headboard with 11/2" additional clearance	,	3 1/2"	3 1/2"	Includes 5" Headboard style headrail plus an additional 3 1/2" of clearance